P

Notice of Allowability	Application No.	Applicant(s)
	10/824,654	MORIWAKI ET AL.
	Examiner	Art Unit
	Andrew T. Sever	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amndt of 3/31/2006</u> .		
2. The allowed claim(s) is/are <u>15-20</u> .		
<ul> <li>3.</li></ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.   A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☑ Examiner's Amendre	e

Application/Control Number: 10/824,654 Page 2

Art Unit: 2851

اعد الحس

**EXAMINER'S AMENDMENT** 

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Frederick Cooperrider on 5/11/2006.

2. The application has been amended as follows:

Amend claim 15 by deleting the second occurrence of the phrase: "wherein said value

comprises a value entered by a user using an input device."

Claim 15 should read: 15. A projector comprising:

A storage device that stores a predetermined approximate expression for

correcting a projected image for distortion;

A calculator that performs a geometrical transformation for said projected image

emitted from said projector, in accordance with said predetermined approximate

expression; and

A receiver to receive a value for substitution as one of a parameter and a variable

into said predetermined approximate expression, wherein said value comprises a value

entered by a user using an input device.

Application/Control Number: 10/824,654 Page 3

Art Unit: 2851

## **DETAILED ACTION**

## Allowable Subject Matter

- 3. Claims 15-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: Applicant has amended claim 15 to be an independent claim. Since it was previously indicated to be allowable if re-written in independent form and applicant has complied, claims 15-20 are allowable. Specifically claim 15 claims that a user inputs a value for substitution as one of a parameter and a variable in a predetermined approximate expression for correcting projected image distortion. This was not found in the prior art, although having a user assist a projector for correcting for keystone distortion is known; this generally comprises of the user physically moving the projector or adjusting a control that is not related to a predetermined approximate expression (simply changing the projection shape does not necessarily require anything as complicated as a predetermined approximate expression that receives a value.) Accordingly claims 15-20 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/824,654

Art Unit: 2851

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew T. Sever whose telephone number is 571-272-2128. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

9 B Perkey

AS

William Perkey Primary Examiner Page 4